

KZ3000



# KZ3000

---

KZ3000


KZ3000

V

KZ3000

KZ3000

0.55






KZ3000-16/80K PN1.6 DN80

( ) -K ( ) -B  
 DN  
 PN  
 : -0 -1 -1  
 : -0 -1 -1  
 V -0





KZ3000

ISO5211  
F07 F16



U

U



0.55

Kv (Kv 0.8x Cv)

i	nch	mm	Kv													
			16	25	40	63	100	160	250	400	630	1000	1600	2500	4000	
1.6	40	25														
		32														
		40														
2	50	32														
		40														
		50														
2.5	65	40														
		50														
		65														
3	80	50														
		65														
		80														
4	100	65														
		80														
		100														
5	125	80														
		100														
		125														
6	150	100														
		125														
		150														
8	200	125														
		150														
		200														
10	250	150														
		200														
		250														
12	300	200														
		250														
		300														

- 1.
- 2.

1	(%)	± 5.0	± 1.0	± 15.0	± 4.0
2	(%)	3.0	1.0	10.0	3.0
3	(%)	3.0	0.4	8.0	1.0
4	(%)	± 2.5	± 1.0	± 6.0	± 2.5
		± 5.0		± 15.0	
		± 5.0		± 15.0	
		± 2.5		± 6.0	
5		2.5	2.5	6.0	2.5



